

30 INCH BOTTOM-FREEZER REFRIGERATOR

BFBF3018SS/BFBF3018SSL







Fridge Features

EverFresh+

NeoFrost dual cooling technology
ProSmart Inverter Compressor
ENERGY STAR ® certified
Zone temperature adjustability
Active fresh blue light
lonGuard
Inner digital display
Finger print free stainless steel
Interior theatre lighting with LED lights

Freezer Features

2 freezer drawers

Dimensions

H x W X D: 67 3/4" x 29 1/8" x 28 5/16" Depth is with door / without handles

MODEL CODE	BFBF3018SS/BFBF3018SSL
Cooling system	Duo Cycle Frost Free Cooling - NeoFrost
Control system	Electronic Control
CAPACITIES	Electronic control
Total net volume, cu. ft.	16.2
Fresh food net volume, cu. ft.	11.1
Freezer net volume, cu. ft.	5.1
FRIDGE FEATURES	5.1
Active Fresh Blue Light	Yes
EverFresh	Yes
IonGuard	Yes
Interior filtered water dispenser	No
Filtered ice & water dispenser through door	No
Electronic control display type	Digital inner display
Auto defrost	Yes
Inner illumination	LED - Side walls
Shelves	2
Crispers	1
Door racks	3
Wine rack	Yes
Bottle gripper	No
Compressor	Variable Speed VCC
Fan ventilation	Yes
FREEZER FEATURES	
Auto defrost	Yes
Number of freezer drawers	2
Automatic ice maker	No
Ice cube tray	No
TECHNICAL INFORMATION	
Supply voltage, V/Hz	120V/60Hz
Rated Current, A	1.9 A
Noise level, dBA	43
DIMENSIONS	
HxWxD, in	67 3/4" x 29 1/8" x 28 5/16"
Product weight, lbs.	198
HxWxD, cm	172 x 74 x 72
Product weight, kg	90
PERFORMANCE	
Energy Star qualified	Yes
Climatic class	Т
Annual energy consumption, kwh/year	528
Cooling gas	R600a
COLOR OPTIONS	
Stainless Steel	BFBF3018SS
Left Hinge Door LN	BFBF3018SSL
-	•



30 INCH BOTTOM-FREEZER REFRIGERATOR

BFBF3018SS/BFBF3018SSL

Outstanding Features



EverFresh+

With meticulous temperature management and precise humidity control, our EverFresh + technology keeps fresh food fresher three times longer than the average refrigerator – for up to 30 days! *

* Tested by SGS (compared to standard crisper for broccoli and lettuce)

Active Fresh Blue Light

Fruits and vegetables stay fresh up to 30% longer, and retain vitamins and nutrients with this amazing new technology that simulates natural lighting conditions, extending the photosynthesis process into your refrigerator.



NeoFrost Dual Cooling Technology

Between unloading the grocery bags and getting ready to prepare a meal, you probably don't spend a lot of time thinking about the food in your refrigerator or freezer. And that's okay, because here at Beko, we do. That's why we've developed our NeoFrost dual cooling technology to ensure your food stays fresher, longer.

Unlike conventional single cooling systems, NeoFrost cools twice as fast with two separate cooling systems that maintain optimal humidity in the fridge, while keeping the freezer dry and frost-free.



ProSmart Inverter Compressor

The kitchen is a gathering place for your family. It's where plans are made and stories are shared. We've engineered the ProSmart inverter compressor to make sure our refrigerator never interrupts the conversation. As a matter of fact, the ProSmart compressor runs four times quieter than other refrigerator compressors. And the energy-efficient ProSmart compressor also meticulously maintains a consistent temperature to keep food fresher, longer.



IonGuard


Advanced lonGuard technology creates a fresh air environment inside your refrigerator to protect and preserve foods longer and eliminate odor transfer.



30 INCH BOTTOM-FREEZER REFRIGERATOR

BFBF3018SS/BFBF3018SSL

Dimensions and Installation



NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website www.blombergappliances.us or call 888 352 2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.

1/4" 1"

3/4"

Dimensions

Air Gap

Clearances

Each Side, in.

Top, in. Back, in.