

## 24 INCH COUNTER DEPTH BOTTOM-FREEZER REFRIGERATOR

BFBF2413SSIM



### Fridge Features

NeoFrost dual cooling technology  
ProSmart Inverter Compressor  
ENERGY STAR® certified  
Zone temperature adjustability  
Inner digital display  
Interior LED lighting  
Field reversibility of doors  
Counter Depth Design  
Finger print free stainless steel

### Freezer Features

Automatic ice maker  
3 freezer drawers

### Dimensions

H x W x D: 72 5/8" x 23 7/16" x 24 7/16"  
Depth is with door / without handles

<b>MODEL CODE</b>	BFBF2413SSIM
Cooling system	Duo Cycle Frost Free Cooling - NeoFrost
Control system	Electronic Control
<b>CAPACITIES</b>	
Total net volume, cu. ft.	11.06
Fresh food net volume, cu. ft.	7.88
Freezer net volume, cu. ft.	3.18
<b>FRIDGE FEATURES</b>	
Active Fresh Blue Light	No
EverFresh	No
IonGuard	No
Interior filtered water dispenser	No
Filtered ice & water dispenser through door	No
Electronic control display type	Digital inner display
Auto defrost	Yes
Inner illumination	LED - Ceiling
Shelves	3 Safety Glass
Crispers	1
Door racks	3
Wine rack	Yes
Bottle gripper	Yes
Compressor	Variable Speed VCC
Fan ventilation	Yes
<b>FREEZER FEATURES</b>	
Auto defrost	No
Number of freezer drawers	3
Automatic ice maker	Yes
Ice cube tray	No
<b>TECHNICAL INFORMATION</b>	
Supply voltage, V/Hz	120/60
Rated Current, A	1.9
Noise level, dBA	43
<b>DIMENSIONS</b>	
HxWxD, in	72 5/8" x 23 7/16" x 24 7/16"
Product weight, lbs.	159
HxWxD, cm	184.5 x 59.5 x 62
Product weight, kg	72
<b>PERFORMANCE</b>	
Energy Star qualified	Yes
Climatic class	T
Annual energy consumption, kwh/year	395
Cooling gas	R600a

## 24 INCH COUNTER DEPTH BOTTOM-FREEZER REFRIGERATOR

BFBF2413SSIM

### Outstanding Features



#### NeoFrost Dual Cooling Technology

Between unloading the grocery bags and getting ready to prepare a meal, you probably don't spend a lot of time thinking about the food in your refrigerator or freezer. And that's okay, because here at Beko, we do. That's why we've developed our NeoFrost dual cooling technology to ensure your food stays fresher, longer.

Unlike conventional single cooling systems, NeoFrost cools twice as fast with two separate cooling systems that maintain optimal humidity in the fridge, while keeping the freezer dry and frost-free.



#### ProSmart Inverter Compressor

The kitchen is a gathering place for your family. It's where plans are made and stories are shared. We've engineered the ProSmart inverter compressor to make sure our refrigerator never interrupts the conversation. As a matter of fact, the ProSmart compressor runs four times quieter than other refrigerator compressors. And the energy-efficient ProSmart compressor also meticulously maintains a consistent temperature to keep food fresher, longer.



#### Automatic Ice Maker

Beko Automatic Ice Maker can generate 6 pounds of ice per day avoiding the need to fill old fashioned ice trays by hand.



#### Zone Temperature Adjustability

High-tech temperature controls provide precise adjustability for preserving your food.


#### Inner Digital Display

Easy-to-read inner digital display allows you to quickly adjust your cooling and freezing settings


# 24 INCH COUNTER DEPTH BOTTOM-FREEZER REFRIGERATOR

BFBF2413SSIM


## Dimensions and Installation



### Plumbing



### Electrical



Dimensions	Height to top of door, in.	72 5/8"
	Height to top of hinge, in.	72 5/8"
	Height to top of case, in.	72 9/16"
	Case depth without door, in.	22 7/16"
	Case depth with door, in.	24 7/16"
	Depth with fresh door open 90°, in.	46 7/8"
	Width, in.	23 7/16"
Air Gap Clearances	Each Side, in.	1/8"
	Top, in.	1"
	Back, in.	1"

NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website [www.blombergappliances.us](http://www.blombergappliances.us) or call 888 352 2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.